Advanced model checking for verification and safety assessment

Part 2

Stefano Tonetta

Fondazione Bruno Kessler (FBK)

Sixth Summer School on Formal Techniques (SSFT'16)

Lecture prepared in collaboration with

Alessandro Cimatti and Marco Gario

Some slides borrowed from Cristian Mattarei, Marco Bozzano, Anthony Pires

Lecture 2

- Safety Assessment
  - Fault Extension
  - Fault Tree Computation
- Requirements Analysis
- Contract Based Design
- Contract-Based Safety Assessment
- Case-Studies
  - WBS
  - NASA
- Wrap-up

Safety Assessment

Safety Assessment

The **safety assessment process** provides a **methodology** to evaluate the design of systems, and to determine that the **associated hazards** have been properly addressed…

…and it should be planned to provide the **necessary assurance** that all relevant failure conditions have been **identified and considered.**

Aerospace Recommended Practice 4761
SAE International

Model-Based Safety Assessment (MBSA)

- Used for the evaluation of safety critical systems e.g., redundancy / fault tolerance
- The nominal system description is extended by allowing faulty behaviors (fault injection)
- Find all possible fault configurations that may cause the reachability of an unwanted condition (a.k.a. Top Level Event - TLE)
  - Assume $M \models \phi$
  - TLE $:= \neg\phi$
    - Bad states in case of invariant property
    - Generalized also to LTL

Model Extension

- From **nominal** $M := \langle V, I, T \rangle$ to **extended** $M^X := \langle V^X, I^X, T^X \rangle$ model, where $V \cup F \subseteq V^X$
- Extended model with disabled fault variables (i.e. set to FALSE) should have the same behavior as the nominal one
- **Symbolic Fault Injection,** additional behavior in parallel to the nominal one, selected via a mode selector:



Model-Based Fault Injection



Fault Tree Analysis

Fault Injection:

Cutsets computation:

- $CS := \{cs \in 2^{\mathcal{F}} \mid \mathcal{M}^X \wedge cs \not\models \varphi\}$

Minimal cutsets computation:

- $MCS := \{cs \in CS \mid \nexists cs' \in CS.cs' \subset cs\}$

Formula representing the minimal cutsets:



Minimal Cutsets Computation

- Given an extended model $\mathrm{M}^{\mathrm{X}} := \langle V^X, I^X, T^X \rangle$, find all **minimal** Faults Configurations FC (**Cutsets**) s.t. $\exists$ trace π triggering FC and witnessing $\mathrm{M}^{\mathrm{X}} \not\models \varphi$



Example: $\mathrm{CS} = \{\{f_1, f_2, f_4\}, \{f_1, f_2\}\}$

Minimal Cutsets Computation

- Given an extended model $\mathrm{M}^{\mathrm{X}} := \langle V^X, I^X, T^X \rangle$, find all **minimal** Faults Configurations FC (**Cutsets**) s.t. $\exists$ trace π triggering FC and witnessing $\mathrm{M}^{\mathrm{X}} \not\models \varphi$



Example: $\mathrm{MCS} = \{\{f_1, f_2\}\}$

Fault Tree Analysis



Fault Tree Analysis



Fault Tree Analysis



Fault Tree Analysis



Fault Tree Analysis



Fault Tree Analysis



- $\mathcal{F} := \{f_1, ..., f_{20}\}$
- $CS := \{\{f_1\}, .., \{f_4\}, \{f_5, f_6\}, \{f_1, f_8\}, \{f_2, f_3\}\}$
- $MCS := \{\{f_1\}, .., \{f_4\}, \{f_5, f_6\}\}$
- $MCS^{\top} := f_1 \vee f_2 \vee f_3 \vee f_4 \vee (f_5 \wedge f_6)$

Fault Tree Analysis



- $\mathcal{F} := \{f_1, ..., f_{20}\}$
- $CS := \{\{f_1\}, .., \{f_4\}, \{f_5$ $\{f_1, f_8\}, \{f_2, f_3\}\}$
- $MCS := \{\{f_1\}, .., \{f_4\}$ $\}$
- $MCS^{\top} := f_1 \vee f_2 \vee f_3 \vee f_4 \vee (f_5 \wedge f_6)$

CS computation as parameter synthesis

- Parameter synthesis problem:
  - Transition system extended with parameters X: $\langle V, I, T, X \rangle$ such that
    - I is a formula over $V \cup X$
    - T is a formula over $V \cup X \cup V'$
  - Valuation γ of X induces a transition system $\mathrm{M}_\gamma \coloneqq \langle V, \gamma(I), \gamma(T) \rangle$
  - Problem: find all γ such that $M_\gamma \vDash \phi$
    - Or dually find all γ such that $M_\gamma \nvDash \phi$
- CS computation as parameter synthesis:
  - Faults $\mathcal{F}$ as parameters
  - M^X as parametric transition system
  - Find all assignments to $\mathcal{F}$ such that $M_\gamma^X \nvDash \phi$

Parameter synthesis



Exploiting IC3 incrementality

- At each iteration:
  - $I := I \wedge \neg bad$
  - $T := T \wedge \neg bad$
- No need to restart from scratch
- IC3 can keep previous frames F_i
- Similarly, exploit incrementality in the underlying SAT/SMT solver

Requirements Analysis

Property correctness

- Standard problem: correctness of design against set of properties.
- Properties given as golden.
- Possible issues:
  - Properties wrongly formalized.
  - Properties may be abstract version of real requirements (to enable verification)
  - Set of properties incomplete.
- Same problems addressed by Requirements Engineering

Requirements engineering

- Old discipline (more than twenty years).
- Goal: precise and complete requirements.
- Many techniques on the different aspects:
  - management,
  - elicitation,
  - analysis,
  - validation.
- Why: errors in requirements take longer to find and correct than those inserted in later phases ⇒ higher cost
- More important in safety-critical application

Vayager and Galileo examples

- Lutz in 1993 analyzed the Voyager and the Galileo software errors uncovered during integration and testing.
- Half errors were safety-related, half not.
- Most were functional faults: operating, conditional, or behavioral discrepancies with functional requirements.
- Primary cause (62% on Voyager, 79% on Galileo) is mis-understanding the requirements.



Standard Check List

- Analysis performed with a check list.
- Manual or automatic (based on linguistic techniques) to check if requirements are (IEEE Std 830-1993)
  - Complete: define all situations
  - Consistent: no contradictory statements
  - Correct: allow all and only desired behaviors
  - Modifiable: well structured, separation of concerns
  - Ranked: prioritized according to importance
  - Testable: specified tests
  - Traceable: identifier for each statement
  - Unambiguous: only one possible interpretation
  - Valid: all stakeholders must be able to understand, analyze and accept the requirement
  - Verifiable: ability to check design against the requirement.

Formal validation loop



Formal checks and feedback

- Formal properties capture the semantics of requirements
  - No model to refine the semantics of propositions
  - Requires rich property specification language
    - E.g. first-order temporal logic
- Formal checks:
  - Consistency: free of contradictions
  - Scenario compatibility: desired behaviors are admitted
  - Property entailment: undesired behaviors are not admitted
  - Realizability: an implementation is possible
  - Inherent vacuity: free of redundant/vacuous subformulas
  - Completeness: every situation is constrained
- Formal feedback:
  - Traces: witnesses of consistency, compatibility, property violation
  - Cores: subset of inconsistent, incompatible, property-entailing formulas

Reduction to Satisfiability

- Check if requirements are:
  - consistent, i.e. if they do not contain some contradiction
  - not too strict, i.e. if they do allow some desired behavior ψ_d
  - not too weak, i.e. if they rule out some undesired behavior ψ_u
- All reduced to satisfiability:
  - Consistency: $\bigwedge_i \phi_i$
  - Admit desired behavior: $\bigwedge_i \phi_i \wedge \psi_u$
  - Does not forbid undesired behavior: $\bigwedge_i \phi_i \wedge \psi_u$

Satisfiability procedure

- Reduce the problem to model checking
- ϕ is satisfiable iff $M_U \not\models \neg\phi$
  - Where M_U is the universal model
- Use standard automata-theoretic approach to model checking
  - ϕ_A Boolean abstraction of ϕ replacing $p(V)$ with Boolean v_p
  - M_ϕ obtained from M_{ϕ_A} by adding $\bigwedge_p v_p \leftrightarrow p$

Contract Based Design

Component-based design

- So far, system seen as monolithic behavioral model
- A component can be defined as a unit of composition with contractually specified interfaces
  - Hides internal information
  - Defines interface to interact with the environment
- Component-based design ideal for
  - Separation of concerns
  - Independent development
  - Reuse of components
- First conceived for software, now popular also for system architectural design (SysML, AADL, AF3, Altarica, …)

Specifying components with contracts

- Component hierarchically decomposed
- Requirements/properties specified at different levels of the hierarchy
- Contract: assumptions + guarantees
- Assumptions: properties expected to be satisfied by the environment
- Guarantees: properties expected to be satisfied by the component in response
- Correspond to pre/post conditions of standard SW contracts



Stepwise refinement

- Specify components while designing
  - decomposing the specification based on the decomposition of the architecture
- Early check of requirements
  - Ensure the correctness of the decomposition
  - Does the contract of A follow from the contracts of B and C?
- Independent refinement:
  - Based on above check, B and C can be developed independently.



Component reuse

- Library of trusted components
- Implementation + contracts
- Pluggable?
  - compare contracts!



Compositional verification



Compositional verification techniques

- Compositional verification:
  - Prove properties of the components (for example, with model checking).
  - Combine components' properties to prove system's property without looking into the internals of the components (sometimes reduced to validity/satisfiability check for composition of properties).
- Formally:

$$\frac{\dfrac{S_1 \vDash P_1,\ \ S_2 \vDash P_2, \dots, S_n \vDash P_n}{\gamma_S(S_1, S_2, \dots, S_n) \vDash \gamma_P(P_1, P_2, \dots, P_n)} \qquad \gamma_P(P_1, P_2, \dots, P_n) \vDash P}{\gamma_S(S_1, S_2, \dots, S_n) \vDash P}$$

- γ_P combines the properties depending on the connections used in γ_S
- E.g. synchronous case:

$$\gamma_P(P_1, P_2, \dots, P_n) = \rho_{\gamma_S}(P_1 \wedge P_2 \wedge \cdots \wedge P_n)$$

  - where ρ_{γ_S} is the renaming of symbols defined by the connections in γ_S.

Contract-based compositional

- Components interact with an environment.
  - Input/output data/events
  - Input controlled by environment, output controlled by component
- May be input enabled or possibly blocking.
- Blocking an input means constraining the environment.
  - The component can be used only in some environment (assumptions!)
- Compositional rule is not just an implication!
  - Guarantees of subcomponents must be stronger
  - Assumptions of subcomponents must be weaker
- Contract-based design requires a formal definition of components' syntax and semantics

Black-box component interface



- A component interface defines boundary of the interaction between the component and its environment.
- Consists of:
  - Set of input and output ports (syntax)
    - Ports represent visible data and events exchanged with environment.
  - Set of traces (semantics)
    - Traces as sequences of events and assignments to data ports.

Glass-box component structure



- A component has an internal structure.
- Architecture view:
  - Subcomponents
  - Inter-connections
  - Delegations
- State-machine view:
  - Internal state
  - Internal transitions
  - Language over the ports



Implementation and Environment

- I_S: input ports of component S
- O_S: output ports of S
- $V_S = I_S \cup O_S$: all ports of S
- Implementation/environment of S: transition system $\langle V, I, T \rangle$ with $V_S \subseteq V$



Composite components and connections

- Components are composed to create composite components.
- Different kind of compositions:
  - Synchronous,
  - Asynchronous,
  - Synchronizations:
    - Rendez-vous vs. buffered;
    - Pairwise, multicast, broadcast, multicast with a receiver
- Connections map (general rule of architecture languages):
  - Input ports of the composite component
  - Output ports of the subcomponents

  Into
  - Output ports of the composite component
  - Input ports of the subcomponents.

Composite components and connections

- Sub_S: subcomponents of S
- Connection

$$\gamma: (O_S \cup \bigcup_{S' \in Sub_S} I_{S'}) \rightarrow (I_S \cup \bigcup_{S' \in Sub_S} O_{S'})$$

- Example:
  - $\gamma(o) = o_2$
  - $\gamma(i_2) = o_1$
  - $\gamma(i_1) = i$



Composite components and connections

- Standard synchronous product:
  - $M_1 = \langle V_1, I_1, T_1 \rangle$ and $M_2 = \langle V_2, I_2, T_2 \rangle$
  - $M_1 \times M_2 \coloneqq \langle V_1 \cup V_2, I_1 \wedge I_2, T_1 \wedge T_2 \rangle$
- With connection γ:
  - $M_1 \times_\gamma M_2 \coloneqq \langle \gamma(V_1 \cup V_2), \gamma(I_1 \wedge I_2), \gamma(T_1 \wedge T_2) \rangle$
  - Where
    - $\gamma(V) \coloneqq \{v | v \in V \setminus dom(\gamma) \; or \; v = \gamma(w) \; for \; some \; w \in \mathrm{V}\}$
    - $\gamma(\phi) \coloneqq \phi[v \mapsto \gamma(v)]$
- Given implementations $M_1, \ldots, M_n$ for $Sub_S = S_1, \ldots, S_n$, and environment E
  - Composite implementation of S:
    - $M_1 \times_\gamma \ldots \times_\gamma M_n$
  - Composite environment of S_i:
    - $M_1 \times_\gamma \ldots \times_\gamma M_{j \neq i} \times_\gamma \ldots \times_\gamma M_n \times_\gamma E$

LTL contracts

- A contract of component S is a pair $\langle A, G \rangle$ of LTL formulas over V_S
  - A is the assumption
  - G is the guarantee
- Env is a correct environment iff $Env \models A$
- Imp is a correct implementation iff $Imp \models A \rightarrow G$

Trace-based contract refinement

- The set of contracts $\{C_i\}$ refines C with the connection γ ($\{C_i\} \preccurlyeq_\gamma C$) iff for all correct implementations Imp_i of C_i and correct environment Env of C:
  1. The composition of $\{Imp_i\}$ is a correct implementation of C.
  2. For all k, the composition of Env and $\{Imp_i\}_{i \neq k}$ is a correct environment of C_k.
- Verification problem:
  - check if a given refinement is correct (independently from implementations).



Proof obligations for contract refinement

- Given $C_1 = \langle \alpha_1, \beta_1 \rangle, \ldots, C_n = \langle \alpha_n, \beta_n \rangle, C = \langle \alpha, \beta \rangle$
- Proof obligations for $\{C_i\} \preccurlyeq C$:
  - $\gamma\left(\left(\Lambda_{1 \le j \le n}(\alpha_j \to \beta_j)\right) \to (\alpha \to \beta)\right)$
  - $\gamma\left(\left(\Lambda_{2 \le j \le n}(\alpha_j \to \beta_j)\right) \to (\alpha \to \alpha_1)\right)$
  - …
  - $\gamma\left(\left(\Lambda_{1 \le j \le n, j \ne i}(\alpha_j \to \beta_j)\right) \to (\alpha \to \alpha_i)\right)$
  - …
  - $\gamma\left(\left(\Lambda_{1 \le j \le n-1}(\alpha_j \to \beta_j)\right) \to (\alpha \to \alpha_n)\right)$

- Theorem: $\{C_i\} \preccurlyeq_\gamma C$ iff the proof obligations are valid. [CT12]

Assume-guarantee reasoning

- Correspond to one direction of the contract refinement.
- Many works focused on finding the right assumption/guarantee.
- E.g. how to break circularity?
  - $\big(G(A \rightarrow B) \wedge G(B \rightarrow A)\big) \Rightarrow G(A \wedge B)$ is false
  - Induction-based mechanisms

  $\big(B \wedge G(A \rightarrow XB) \wedge A \wedge G(B \rightarrow XA)\big) \Rightarrow G(A \wedge B)$ is true

Contract Based Safety Assessment

Contract-Based Safety Assessment

- "Monolithic" safety assessment artifacts e.g., minimal cutsets, might be not easily understandable
- Need for more structured safety artifacts e.g., hierarchically organized fault trees
- Leverage the architectural decomposition of contract-based design
- Perform automated Safety Assessment on a Contract-Based system decomposition

Formal Verification, Validation, and Safety Assessment



Formal Verification, Validation, and Safety Assessment

Compositional

Monolithic

Contract-Based Design



Model Checking

$$\mathcal{M} \models \varphi$$

Fault Injection

$$\mathcal{M} \Longrightarrow \mathcal{M}^X$$

Model-Based Safety Assessment

$$\delta(\mathcal{F}) : \mathcal{M}^X \not\models \varphi$$

Verification & Validation

Safety Assessment

Formal Verification, Validation, and Safety Assessment

Compositional

Monolithic

Contract-Based Design



Contract-Based Fault Injection



Model Checking

$$\mathcal{M} \models \varphi$$

Fault Injection

$$\mathcal{M} \Longrightarrow \mathcal{M}^X$$

Model-Based Safety Assessment

$$\delta(\mathcal{F}) : \mathcal{M}^X \not\models \varphi$$

Verification & Validation

Safety Assessment

Formal Verification, Validation, and Safety Assessment

Compositional

Monolithic

Contract-Based Design



Contract-Based Fault Injection



Contract-Based Safety Assessment



Model Checking

$$\mathcal{M} \models \varphi$$

Fault Injection

$$\mathcal{M} \Longrightarrow \mathcal{M}^X$$

Model-Based Safety Assessment

$$\delta(\mathcal{F}) : \mathcal{M}^X \not\models \varphi$$

Verification & Validation

Safety Assessment

Contract-Based Safety Assessment



Contract-Based Safety Assessment



- Extension of contracts (fault injection) from a Contract-Based decomposition

Contract-Based Safety Assessment



- Extension of contracts (fault injection) from a Contract-Based decomposition
- Automated Formal Safety Assessment i.e., Fault Tree Analysis

Contract-Based Safety Assessment



- Extension of contracts (fault injection) from a Contract-Based decomposition
- Automated Formal Safety Assessment i.e., Fault Tree Analysis
- Support for components refinement

Contract-Based Fault Injection



$\langle \mathcal{A}, \mathcal{G} \rangle$

Contract-Based Fault Injection



$$\langle \mathcal{A}, \mathcal{G} \rangle \Rightarrow \langle \mathcal{A}^X, \mathcal{G}^X \rangle := \langle \neg f^I \rightarrow \mathcal{A}, \neg f^O \rightarrow \mathcal{G} \rangle$$

- Additional input and output failure ports
- Contract extension

Contract-Based Fault Injection



- **Additional input and output failure ports**
- Contract extension

Contract-Based Fault Injection



- Additional input and output failure ports
- **Contract extension**

Starlight Example



Starlight reqs formalization

- Req-Sys-secure: No high-level data shall be sent by L to the external world.
  - Formal-Sys-secure: never is_high(last_data(outL))
- Req-User-secure: The user shall switch the dispatcher to high before entering high-level data.
  - Formal-User-secure: always ((is_high(last_data(cmd))) implies ((not switch_to_low) since switch_to_high))
- Proved system guarantess Formal-Sys-secure assuming Formal-User-secure.
- Req-Sys-safe: No single failure shall cause a loss of Req-Sys-secure.

Starlight fault tree for secure req



Case-Studies

AIR6110 Wheel Braking System

- Joint scientific study with Boeing
- Context
  - Aerospace systems become more complex and integrated
  - Safety assessment process is critical
    - Evaluate whether a selected design is sufficiently robust with respect to the criticality of the system and faults occurrence
- Objectives:
  - Analyze the system safety through mathematical models and techniques
  - Demonstrate the usefulness and suitability of these techniques for improving the overall traditional development and supporting aircraft certification
- Case study:
  - Aerospace Information Report 6110:
    - Traditional Contiguous Aircraft/System Development Process Example
  - Wheel Brake System of a fictional dual-engine aircraft
    - 300-350 passengers, 5h max of flight
    - 2 main landing gears (4 wheels each)

WBS: Overview



WBS: Adopted approach



WBS: Conclusion

- Results:
  - Cover the process described in AIR6110 with formal methods
  - Production of modular descriptions of 5 architectures variants
    - Analysis of their characteristics in terms of a set of requirements expressed as properties
    - Production of more than 3000 fault trees
    - Production of reliability measures
  - Detection of an unexpected flaw in the process
    - Detection of the wrong position of the accumulator earlier in the process

- Lessons learned:
  - Going from informal to formal allows highlighting the missing information of the AIR6110 to reproduce the process
  - OCRA modular modeling allows a massive reuse of the design through architectures variant
  - Automated and efficient engines as IC3 is a key factor
  - MBSA is crucial in this context:
    - Automatic extension of the nominal model with faults
    - Automatic generation of artifacts eases the analysis and the architecture comparison in terms of safety

NASA NextGen Air Traffic Control

- Problem:
  - 4x airspace traffic in the next 20 years
  - Currently technology cannot scale
  - Need to increase automation, while preserving safety
- Apply Formal Methods to study the quality and Safety of many design proposals concerning the allocation of tasks between Air and Ground
- Objective:
  - Highlight Implicit assumptions
  - Model and Study a design space with more than **1600** proposals
  - Time-Frame: 12 Man-Month
- Joint project with NASA Ames and Langley

NextGen: Proposed Solution



- Identify dimensions of the design space
- Use a parametric model to encode all designs (symbolically)
- Unified design architecture makes it possible to push complexity into the leaf components
- Use contracts to validate components behavior
- Perform Model-Checking against interesting properties, and rank solutions based on their "quality"
- Perform Fault-Tree analysis to understand the resilience to faults

NextGen: Results

- Independently reproduced 2 known problems
- High-lighted a mismatch in requirements for one design proposal
- Results discussed and validated by NASA engineers
- Lessons Learned:
  - Model Validation is an key step
  - Technology is mature to tackle problems of this size
  - Lots of data: Need better ways to present complex results in an accessible way


Threshold=1e-04, Basic Probability=1e-08
1400
1200
1000
800
600
400
200
0
−8
−7
−6
−5
−4
−3
−2
−1
Com Layer (1e-y)
−1
−2
−3
−4
−5
−6
−7
−8
ADS-B (1e-x)

Wrap-up

Lecture Summary

- Importance of Safety Assessment
- Contract-Based Design
  - Specify & Validate Requirement
  - Decompose Requirements onto Architecture
  - Implement Leaf components
  - Functional correctness guaranteed by Contract-Decomposition
- CBSA: Leverage contracts to perform Safety Assessment

Readings

A list of suggested readings on the topics of the course. The list is not meant to be complete.

- Model-Based Safety Assessment:
  - Marco Bozzano, Adolfo Villafiorita: Improving System Reliability via Model Checking: The FSAP/NuSMV-SA Safety Analysis Platform. SAFECOMP 2003: 49-62
  - Marco Bozzano, Alessandro Cimatti, Francesco Tapparo: Symbolic Fault Tree Analysis for Reactive Systems. ATVA 2007: 162-176
  - Marco Bozzano, Alessandro Cimatti, Alberto Griggio, Cristian Mattarei: Efficient Anytime Techniques for Model-Based Safety Analysis. CAV (1) 2015: 603-621
- Parameter Synthesis:
  - Alessandro Cimatti, Alberto Griggio, Sergio Mover, Stefano Tonetta: Parameter synthesis with IC3. FMCAD 2013: 165-168

Readings

- Requirements Formalization and Validation:
  - Alessandro Cimatti, Marco Roveri, Stefano Tonetta: Requirements Validation for Hybrid Systems. CAV 2009: 188-203
  - Alessandro Cimatti, Marco Roveri, Angelo Susi, Stefano Tonetta: Validation of requirements for hybrid systems: A formal approach. ACM Trans. Softw. Eng. Methodol. 21(4): 22 (2012)
- Compositional Verification:
  - Kenneth L. McMillan: Circular Compositional Reasoning about Liveness. CHARME 1999: 342-345
  - Anubhav Gupta, Kenneth L. McMillan, Zhaohui Fu: Automated assumption generation for compositional verification. Formal Methods in System Design 32(3): 285-301 (2008)
  - Anvesh Komuravelli, Nikolaj Bjørner, Arie Gurfinkel, Kenneth L. McMillan: Compositional Verification of Procedural Programs using Horn Clauses over Integers and Arrays. FMCAD 2015: 89-96

Readings

- Contract-Based Design with Temporal Logics:
  - Alessandro Cimatti, Stefano Tonetta: A Property-Based Proof System for Contract-Based Design. EUROMICRO-SEAA 2012: 21-28
  - Sebastian S. Bauer, Alexandre David, Rolf Hennicker, Kim Guldstrand Larsen, Axel Legay, Ulrik Nyman, Andrzej Wasowski: Moving from Specifications to Contracts in Component-Based Design. FASE 2012: 43-58
  - Darren D. Cofer, Andrew Gacek, Steven P. Miller, Michael W. Whalen, Brian LaValley, Lui Sha: Compositional Verification of Architectural Models. NASA Formal Methods 2012: 126-140
  - Alessandro Cimatti, Stefano Tonetta: Contracts-refinement proof system for component-based embedded systems. Sci. Comput. Program. 97: 333-348 (2015)
  - Thi Thieu Hoa Le, Roberto Passerone, Ulrich Fahrenberg, Axel Legay: A tag contract framework for modeling heterogeneous systems. Sci. Comput. Program. 115-116: 225-246 (2016)
  - Alessandro Cimatti, Ramiro Demasi, Stefano Tonetta: Tightening a Contract Refinement. SEFM 2016
  - Adrien Champion, Arie Gurfinkel, Temesghen Kahsai, Cesare Tinelli: CoCoSpec: A mode aware contract language. SEFM 2016

Readings

- Contract-Based Safety Assessment:
  - Marco Bozzano, Alessandro Cimatti, Cristian Mattarei, Stefano Tonetta: Formal Safety Assessment via Contract-Based Design. ATVA 2014: 81-97
- Case Studies:
  - Marco Bozzano, Alessandro Cimatti, Anthony Fernandes Pires, D. Jones, G. Kimberly, T. Petri, R. Robinson, Stefano Tonetta: Formal Design and Safety Analysis of AIR6110 Wheel Brake System. CAV (1) 2015: 518-535
  - Cristian Mattarei, Alessandro Cimatti, Marco Gario, Stefano Tonetta, Kristin Y. Rozier: Comparing Different Functional Allocations in Automated Air Traffic Control Design. FMCAD 2015: 112-119
- Tools used in the course:
  - Alessandro Cimatti, Michele Dorigatti, Stefano Tonetta: OCRA: A tool for checking the refinement of temporal contracts. ASE 2013: 702-705
  - Roberto Cavada, Alessandro Cimatti, Michele Dorigatti, Alberto Griggio, Alessandro Mariotti, Andrea Micheli, Sergio Mover, Marco Roveri, Stefano Tonetta: The nuXmv Symbolic Model Checker. CAV 2014: 334-342
  - Benjamin Bittner, Marco Bozzano, Roberto Cavada, Alessandro Cimatti, Marco Gario, Alberto Griggio, Cristian Mattarei, Andrea Micheli, Gianni Zampedri: The xSAP Safety Analysis Platform. TACAS 2016: 533-539